



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
2025 E Street, NW
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/662,225	09/12/2003	Bernard Plessier	2110-49-3	8365
7590	03/24/2006		EXAMINER	
GRAYBEAL JACKSON HALEY LLP			CHERY, MARDOCHEE	
Suite 350			ART UNIT	PAPER NUMBER
155-108th Avenue N.E.				
Bellevue, WA 98004-5973			2188	

DATE MAILED: 03/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	10/662,225	PLESSIER ET AL.
	Examiner	Art Unit
	Mardochée Chery	2188

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 12 September 2003.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-20 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-20 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| <ol style="list-style-type: none"> 1)<input checked="" type="checkbox"/> Notice of References Cited (PTO-892) 2)<input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3)<input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
 Paper No(s)/Mail Date <u>9/12/03</u>. | <ol style="list-style-type: none"> 4)<input type="checkbox"/> Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____. 5)<input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6)<input type="checkbox"/> Other: _____. |
|--|---|

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1 and 4 recite the limitation "the at least two sub-arrays" in line 15 and 4,

respectively. There is insufficient antecedent basis for this limitation in the claim.

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 12-13 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. The claims recite in lines 2, 6, and 7, "... a ring...". The term ring has several meaning in the art and Applicant failed to describe the term in the specification as to enable one of ordinary skill in the art to make and/or use the invention. As such the claims fail the enablement requirement of 35 USC 112 and will be given the broadest reasonable interpretation.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

6. Claims 8-10 and 14-16 are rejected under 35 U.S.C. 102(e) as being anticipated by Tomaiuolo (2002/0087817).

As per claims 8 and 14-16, Tomaiuolo discloses a memory, comprising: a plurality of memory locations each having a contents [par. 006]; and a control circuit coupled to the memory locations and operable to, allow random access to the memory locations during a first mode of operation, and allow sequential access to the contents of the memory locations via a predetermined one of the memory locations during a second mode of operation [page 6, left column, par. 8].

As per claim 9 Tomaiuolo discloses the first mode of operation comprises a read mode and the second mode of operation comprises a write mode [par. 004].

As per claim 10 Tomaiuolo discloses the first mode of operation comprises a write mode; and the second mode of operation comprises a read mode [par. 015].

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Iadanza (6,091,645) in view of Applicant Admitted Prior Art (hereinafter APA).

As per claim 1, Iadanza discloses a memory comprising: at least one array of memory elements [col. 2, ll 28-35]; a partition of the at least one array into a plurality of sub-arrays of the memory elements [Fig. 1A-1D]; an array configuration circuit for selectively putting the at least one array in one of two operating configurations, the two operating configurations including [col. 2, ll 20-27]; a sub-array selector, responsive to a first memory address, for selecting one among the at least two sub-arrays according to the first memory address, the sub-array selector enabling access to the selected sub-array [col. 2, ll 28-36]; and a memory element access circuit, responsive to a second memory address, for enabling access to a prescribed memory element in the selected sub-array after a prescribed number of shifts, depending on the second memory address, of the data content of the memory elements in the selected sub-array, a data

content of any memory element of the sub-array being rotatable by shifts through the memory elements of the sub-array [col. 8, ll 36-50; col. 10, ll 29-42].

However, landaza does not specifically teach a first operating configuration, in which the memory elements of the at least one array are coupled one to another to form a monodimensional sequentially-accessible memory, and a second operating configuration, in which the memory elements in each sub-array are coupled to one another so as to form an independent monodimensional sequentially-accessible memory block as required by the claim.

APA discloses a first operating configuration, in which the memory elements of the at least one array are coupled one to another to form a monodimensional sequentially-accessible memory, and a second operating configuration, in which the memory elements in each sub-array are coupled to one another so as to form an independent monodimensional sequentially-accessible memory block [pars. 6 and 7] to provide a memory that can be accessed sequentially in a first-in, first-out manner and a memory that can be accessed randomly (pars. 6-7).

Since the technology for implementing a memory array with a first operating configuration, in which the memory elements of the at least one array are coupled one to another to form a monodimensional sequentially-accessible memory, and a second operating configuration, in which the memory elements in each sub-array are coupled to

one another so as to form an independent monodimensional sequentially-accessible memory block was well known as disclosed by APA, an artisan would have been motivated to implement this feature in the system of Iadanza in order to have a memory that can be accessed sequentially in a first-in, first-out manner and a memory that can be accessed randomly. Thus, it would have been obvious to one of ordinary skill in the art at the time of invention by Applicant to modify the system of Iadanza to include a first operating configuration, in which the memory elements of the at least one array are coupled one to another to form a monodimensional sequentially-accessible memory, and a second operating configuration, in which the memory elements in each sub-array are coupled to one another so as to form an independent monodimensional sequentially-accessible memory block since this would have provided a memory that can be accessed sequentially in a first-in, first-out manner and a memory that can be accessed randomly (pars. 6-7) as taught by APA.

As per claim 2, Iadanza discloses said array configuration circuit includes, for each sub-array of memory elements, an input selector associated with a first memory element of the sub-array, for selectively feeding the first memory element with either an output of a last memory element in an adjacent previous sub-array, in the first operating configuration, or an output of a last memory element of the sub-array, in the second operating configuration [col. 2, ll 52-65; col. 5, ll 66 to col. 6, ll 12].

As per claim 3, Iadanza discloses the first operating configuration is a data

storage configuration, in which the memory is put when data are to be stored therein, and the second operating configuration is a data retrieval configuration, in which the memory is put when data are to be retrieved therefrom [col. 1, ll 62 to col. 2, ll 4; col. 2, ll 28-36].

As per claim 4, Iadanza discloses in the second operating configuration each sub-array provides a respective output data, the sub-array selector selecting one sub-array output data out of the at least two output data provided by the at least two sub-arrays, according to the first address [col. 2, ll 28-36].

As per claim 5, Iadanza discloses said memory element access circuit enables a transfer of the output data of the selected sub-array to a memory output after a prescribed number of shifts of the data content of the memory elements in the selected sub-array [col. 8, ll 36-50; col. 10, ll 29-42].

As per claim 6, Iadanza discloses said memory element access circuit includes a counter for counting the number of data content shifts, and a coincidence detector detecting coincidence between a counter value and a value representative of the second address, the coincidence detector enabling the transfer of the output data of the selected sub-array to the memory output when the counter value equals the value representative of the second address [col. 2, ll 36-44; col. 10, ll 10-28; col. 35, ll 34-51; col. 33, ll 25-34].

As per claim 7, Iadanza discloses each memory element includes at least one flip-flop [col. 28, ll 42-52].

9. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tomaiuolo (2002/0087817) in view of APA.

As per claim 11 Tomaiuolo discloses a memory, comprising: an array of memory locations [par. 005-006]; and a control circuit coupled to the array and operable to cause the array to operate as a random-access memory during a first mode of operation [page 6, left column, par. 8].

However, Tomaiuolo does not specifically teach a first-in-first-out memory during a second mode of operation as required by the claim.

APA discloses a first-in-first-out memory during a second mode of operation [Par. 006] to provide a memory that can be accessed sequentially in a first-in, first-out manner (pars. 6-7).

Since the technology for implementing a memory with a first-in-first-out memory during a second mode of operation was well known as disclosed by APA, an artisan would have been motivated to implement this feature in the system of Tomaiuolo in order to have a memory that can be accessed sequentially in a first-in, first-out manner.

Thus, it would have been obvious to one of ordinary skill in the art at the time of invention by Applicant to modify the system of Tomaiuolo to include a first-in-first-out memory during a second mode of operation since this would have provided a memory that can be accessed sequentially in a first-in, first-out manner (pars. 6-7) as taught by APA.

10. Claims 12-13 and 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tomaiuolo (2002/0087817) in view of APA and further in view of Iadanza (6,091,645).

As per claims 12 and 13 Tomaiuolo discloses the memory locations comprise a ring of serially coupled memory locations each having a respective contents [page 6, left column, par. 8].

However, Tomaiuolo and APA do not specifically teach during the first mode of operation, the control circuit is operable to, receive a clock signal, shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal.

Iadanza discloses during the first mode of operation, the control circuit is operable to, receive a clock signal, shifting the contents of each respective memory

location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal [col. 8, ll 36-50; col. 10, ll 29-42; col.11, ll 28-35; col. 35, ll 52-59] to provide serial scan shifting of data for driving each of the memory cells (col. 11, ll 30-35).

Since the technology for implementing a memory with shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal, and allow access to a predetermined one of the memory locations during a predetermined cycle of the clock signal was well known as evidenced by Iadanza, an artisan would have been motivated to implement this feature in the system of Tomaiuolo and APA in order to provide serial scan shifting of data for driving each of the memory cells. Thus, it would have been obvious to one of ordinary skill in the art at the time of invention by Applicant to modify the system of Tomaiuolo and APA to include shifting the contents of each respective memory location in the ring to a respective next memory location in the ring once per cycle of the clock signal since this would have provided serial scan shifting of data for driving each of the memory cells (col. 11, ll 30-35) as taught by Iadanza.

As per claims 17-20, the rationale in the rejection of claim 12 is herein incorporated.

Conclusion

11. When responding to the office action, Applicant is advised to clearly point out the patentable novelty that he or she thinks the claims present in view of the state of the art disclosed by references cited or the objections made. He or she must also show how the amendments avoid such references or objections. See 37 C.F.R. 1.111(c).
12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mardochee Chery whose telephone number is (571) 272-4246. The examiner can normally be reached on 8:30A-5:00P.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Manonama Padmanabhan can be reached on (571) 272-4210. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 17, 2006



Mardoochee Chery
Examiner
AU 2188



3/20/06

MANO PADMANABHAN
SUPERVISORY PATENT EXAMINER